

Mai-He Li's Publication list

(sorted by year of appearance)

2021

- 196.** Jin, Y., Xu, J., He, H., Tao, Y., Wang, H., Zhang, Y., **Li, M. H.** (2020). Effects of catastrophic wind disturbance on formation of forest patch mosaic structure on the western and southern slopes of Changbai Mountain. *Forest Ecology and Management*, 118746 (10 pp.). <https://doi.org/10.1016/j.foreco.2020.118746>
- 195.** Xu, S., Wang, Y., Zhang, W., Li, B., Du, Z., He, X., Chen, W., Zhang, Y., Li, Y., **Li, M.**, Schaub, M. (2021) Experimental warming alleviates the adverse effects from tropospheric ozone on two urban tree species, *Environmental Pollution*, <https://doi.org/10.1016/j.envpol.2020.115289>.
- 194.** Xue, W., Shen, J. X., Guo, Z. W., Lei, J. P., Li, J. M., Yu, F. H., & **Li, M. H.** (2021). Shoot removal interacts with soil temperature to affect survival, growth and physiology of young ramets of a bamboo. *Forest Ecology and Management*, 481, 118735 (8 pp.). <https://doi.org/10.1016/j.foreco.2020.118735>

2020

- 193.** Wei Chen, Chen Meng, Jing Ji, **Mai-He Li**, Xiaoman Zhang, Yanyan Wu, Tiantian Xie, Changjian Du, Jiacheng Sun, Zeping Jiang, Shengqing Shi (2020) Exogenous GABA promotes adaptation and growth by altering the carbon and nitrogen metabolic flux in poplar seedlings under low nitrogen conditions, *Tree Physiology*, tpaa101, <https://doi.org/10.1093/treephys/tpaa101>
- 192.** Ao Wang, Rolf T W Siegwolf, Jobin Joseph, Frank M Thomas, Willy Werner, Arthur Gessler, Andreas Rigling, Marcus Schaub, Matthias Saurer, **Mai-He Li**, Marco M Lehmann (2020) Effects of soil moisture, needle age, and leaf morphology on C and O uptake, incorporation, and allocation: A dual labelling approach with $^{13}\text{CO}_2$ and H_2^{18}O in foliage of a coniferous forest, *Tree Physiology*, tpaa114, <https://doi.org/10.1093/treephys/tpaa114>

- 191.** Leonie Schönbeck, **Mai-He Li**, Marco M Lehmann, Andreas Rigling, Marcus Schaub, Günter Hoch, Ansgar Kahmen, Arthur Gessler (2020) Soil nutrient availability alters tree carbon allocation dynamics during drought, *Tree Physiology*, tpaa139, <https://doi.org/10.1093/treephys/tpaa139>
- 190.** Gao, D., Bai, E., **Li, M.**, Zhao, C., Yu, K., & Hagedorn, F. (2020). Responses of soil nitrogen and phosphorus cycling to drying and rewetting cycles: a meta-analysis. *Soil Biology and Biochemistry*, 148, 107896 (15 pp.). <https://doi.org/10.1016/j.soilbio.2020.107896>
- 189** Ge, X., Cao, Y., Zhou, B., Xiao, W., Tian, X., & **Li, M. H.** (2020). Combined application of biochar and N increased temperature sensitivity of soil respiration but still decreased the soil CO₂ emissions in moso bamboo plantations. *Science of the Total Environment*, 730, 139003 (11 pp.). <https://doi.org/10.1016/j.scitotenv.2020.139003>
- 188.** Jobin Joseph, Decai Gao, Bernhard Backes, Corinne Bloch, Ivano Brunner, Gerd Gleixner, Matthias Haeni, Henrik Hartmann, Günter Hoch, Christian Hug, Ansgar Kahmen, Marco M. Lehmann, **Mai-He Li**, Jörg Luster, Martina Peter, Christian Poll, Andreas Rigling, Kaisa A. Rissanen, Nadine K. Ruehr, Matthias Saurer, Marcus Schaub, Leonie Schönbeck, Benjamin Stern, Frank M. Thomas, Roland A. Werner, Willy Werner, Thomas Wohlgemuth, Frank Hagedorn, Arthur Gessler (2020). Rhizosphere activity in an old-growth forest reacts rapidly to changes in soil moisture and shapes whole-tree carbon allocation. *Proceedings of the National Academy of Sciences of the United States of America PNAS*. <https://doi.org/10.1073/pnas.2014084117>
- 187.** Luo, Y., Du, Z., Yan, Z., Zhao, X., Li, Y., Jiang, H., ... **Li, M. H.** (2020). *Artemisia halodendron* litters have strong negative allelopathic effects on earlier successional plants in a semi-arid sandy dune region in China. *Frontiers in Plant Science*, 11, 961 (8 pp.). <https://doi.org/10.3389/fpls.2020.00961>
- 186.** Schönbeck, L., Gessler, A., Schaub, M., Rigling, A., Hoch, G., Kahmen, A., & **Li, M. H.** (2020). Soil nutrients and lowered source:sink ratio mitigate effects of mild but not of extreme drought in trees. *Environmental and Experimental Botany*, 169, 103905 (10 pp.). <https://doi.org/10.1016/j.envexpbot.2019.103905>
- 185.** Shi, Z., Deng, X., Bai, D., Lei, J., **Li, M.**, Zeng, L., & Xiao, W. (2020). Transcriptomic analysis reveals the mechanism of *Picea crassifolia* survival for alpine treeline condition. *Forests*, 11(2), 156 (27 pp.). <https://doi.org/10.3390/f11020156>

- 184.** Tian, X. K., Wang, M. Y., Meng, P., Zhang, J. S., Zhou, B. Z., Ge, X. G., ... **Li, M. H.** (2020). Native bamboo invasions into subtropical forests alter microbial communities in litter and soil. *Forests*, 11(3), 314 (14 pp.). <https://doi.org/10.3390/f11030314>
- 183.** Yang, Y., Wu, Z., Guo, L., He, H. S., Ling, Y., Wang, L., ... **Li, M. H.** (2020). Effects of winter chilling vs. spring forcing on the spring phenology of trees in a cold region and a warmer reference region. *Science of the Total Environment*, 725, 138323 (11 pp.). <https://doi.org/10.1016/j.scitotenv.2020.138323>
- 182.** Zhang, Y. L., Moser, B., **Li, M. H.**, Wohlgemuth, T., Lei, J. P., & Bachofen, C. (2020). Contrasting leaf trait responses of conifer and broadleaved seedlings to altered resource availability are linked to resource strategies. *Plants*, 9(5), 621 (15 pp.). <https://doi.org/10.3390/plants9050621>
- 181.** Zhang, Y., Pang, X., Shen, J., Yuan, X., **Li, M.**, He, Y., & Lei, J. (2020). 植物群落类型和围栏封育对高山林线岷江冷杉幼苗成活的影响. Effects of plant community types and fencing on survival of *Abies faxoniana* in the alpine treeline ecotone. *Acta Ecologica Sinica*, 40(2), 640-647. <https://doi.org/10.5846/stxb201808211780>

2019

- 180.** Cong, Y., **Li, M. H.**, Liu, K., Dang, Y. C., Han, H. D., & He, H. S. (2019). Decreased temperature with increasing elevation decreases the end-season leaf-to-wood reallocation of resources in deciduous *Betula ermanii* Cham. trees. *Forests*, 10(2), 166. <https://doi.org/10.3390/f10020166>
- 179.** Xu, S., He, X. Y., Du, Z., Chen, W., Li, B., Li, Y., **Li, M.H.**, Schaub, M. (2019). Tropospheric ozone and cadmium do not have interactive effects on growth, photosynthesis and mineral nutrients of *Catalpa ovata* seedlings in the urban areas of Northeast China. *Science of the Total Environment*, 704, 135307 (9 pp.). <https://doi.org/10.1016/j.scitotenv.2019.135307>
- 178.** Ge, X., Cao, Y., Zhou, B., Wang, X., Yang, Z., & **Li, M. H.** (2019). Biochar addition increases subsurface soil microbial biomass but has limited effects on soil CO₂ emissions in subtropical moso bamboo plantations. *Applied Soil Ecology*, 142, 155-165. <https://doi.org/10.1016/j.apsoil.2019.04.021>

- 177.** Ge, X., Yang, Z., Zhou, B., Cao, Y., Xiao, W., Wang, X., & **Li, M. H.** (2019). Biochar fertilization significantly increases nutrient levels in plants and soil but has no effect on biomass of *Pinus massoniana* (Lamb.) and *Cunninghamia lanceolata* (Lamb.) Hook saplings during the first growing season. *Forests*, 10(8), 612 (17 pp.).
<https://doi.org/10.3390/f10080612>
- 176.** He, P., Fontana, S., Sardans, J., Peñuelas, J., Gessler, A., Schaub, M., **Li, M. H.** (2019). The biogeochemical niche shifts of *Pinus sylvestris* var. *mongolica* along an environmental gradient. *Environmental and Experimental Botany*, 167, 103825 (11 pp.).
<https://doi.org/10.1016/j.envexpbot.2019.103825>
- 175.** Jin, Y., Xu, J., He, H., **Li, M. H.**, Tao, Y., Zhang, Y., Han, Y. (2019). The Changbai alpine shrub tundra will be replaced by herbaceous tundra under global climate change. *Plants*, 8(10), 370 (16 pp.). <https://doi.org/10.3390/plants8100370>
- 174.** Knüsel, S., Liu, J., Conedera, M., Gärtner, H., Bugmann, H., **Li, M. H.**, Wunder, J. (2019). Comparative dendroecological characterisation of *Ailanthus altissima* (Mill.) Swingle in its native and introduced range. *Dendrochronologia*, 57, 125608 (10 pp.).
<https://doi.org/10.1016/j.dendro.2019.125608>
- 173.** Liu, J. F., Jiang, Z. P., Schaub, M., Gessler, A., Ni, Y. Y., Xiao, W. F., & **Li, M. H.** (2019). No ontogenetic shifts in C-, N- and P-allocation for two distinct tree species along elevational gradients in the Swiss Alps. *Forests*, 10(5), 394 (12 pp.).
<https://doi.org/10.3390/f10050394>
- 172.** Lyu, L., Zhang, Q. B., Pellatt, M. G., Büntgen, U., **Li, M. H.**, & Cherubini, P. (2019). Drought limitation on tree growth at the Northern Hemisphere's highest tree line. *Dendrochronologia*, 53, 40-47. <https://doi.org/10.1016/j.dendro.2018.11.006>
- 171.** Lyu, L., Büntgen, U., Treydte, K., Yu, K., Liang, H., Reinig, F., Nievergelt, D., **Li, M.H.**, Cherubini, P. (2019). Tree rings reveal hydroclimatic fingerprints of the Pacific Decadal Oscillation on the Tibetan Plateau. *Climate Dynamics*, 53(1-2), 1023-1037.
<https://doi.org/10.1007/s00382-019-04629-z>
- 170.** Shen, J., Yuan, X., **Li, M.H.**, Yu, F., Wang, X., Liu, L., Lei, J. (2019). Effects of soil temperature and moisture on nitrogen and phosphorus contents in *Picea balfouriana* seedlings. *Scientia Silvae Sinicae*, 55(4), 31-41. <https://doi.org/10.11707/j.1001-7488.20190404>

- 169.** Wang, X., Jiang, Y., Ren, H., Yu, F. H., & **Li, M. H.** (2019). Leaf and soil $\delta^{15}\text{N}$ patterns along elevational gradients at both treelines and shrublines in three different climate zones. *Forests*, 10(7), 557 (14 pp.). <https://doi.org/10.3390/f10070557>
- 168.** Wang, J., Fu, X., Zhang, Z., **Li, M.**, Cao, H., Zhou, X., & Ni, H. (2019). Responses of soil respiration to nitrogen addition in the Sanjiang Plain wetland, northeastern China. *PLoS One*, 14(1), e0211456 (12 pp.). <https://doi.org/10.1371/journal.pone.0211456>
- 167.** Wang, C., Zong, S., & **Li, M. H.** (2019). The contrasting responses of mycorrhizal fungal mycelium associated with woody plants to multiple environmental factors. *Forests*, 10(11), 973 (18 pp.). <https://doi.org/10.3390/f10110973>
- 166.** Wang, C., Brunner, I., Zong, S., & **Li, M. H.** (2019). The dynamics of living and dead fine roots of forest biomes across the Northern Hemisphere. *Forests*, 10(11), 953 (15 pp.). <https://doi.org/10.3390/f10110953>
- 165.** Wang, C., He, J., Zhao, T. H., Cao, Y., Wang, G., Sun, B., **Li, M. H.** (2019). The smaller the leaf is, the faster the leaf water loses in a temperate forest. *Frontiers in Plant Science*, 10, 58 (12 pp.). <https://doi.org/10.3389/fpls.2019.00058>
- 164.** Yang, B., Zhang, X., Zagorchev, L., Li, J., Frey, B., & Li, M. (2019). Parasitism changes rhizospheric soil microbial communities of invasive *Alternanthera philoxeroides*, benefitting the growth of neighboring plants. *Applied Soil Ecology*, 143, 1-9. <https://doi.org/10.1016/j.apsoil.2019.05.025>
- 163.** Yu, D., Wang, Q., Wang, X., Dai, L., & **Li, M.** (2019). Microsite effects on physiological performance of *Betula ermanii* at and beyond an alpine treeline site on Changbai Mountain in Northeast China. *Forests*, 10(5), 400 (15 pp.). <https://doi.org/10.3390/f10050400>
- 162.** Zhou, Y. M., Meng, G. L., Tai, Z. J., Han, J. Q., Deng, J. F., Wang, H. W., & **Li, M. H.** (2019). Effects of experimental warming on growing season temperature and carbon exchange in an alpine tundra ecosystem. *Russian Journal of Ecology*, 50(5), 474-481. <https://doi.org/10.1134/S1067413619050138>
- 161.** Zhou, Y., Deng, J., Tai, Z., Jiang, L., Han, J., Meng, G., & **Li, M. H.** (2019). Leaf anatomy, morphology and photosynthesis of three tundra shrubs after 7-year experimental warming on Changbai Mountain. *Plants*, 8(8), 271 (14 pp.). <https://doi.org/10.3390/plants8080271>

2018

- 160.** Liu JF, Deng YP, Wang XF, Ni YY, Wang Q, Xiao WF, Lei JP, Jiang ZP, **Li MH.** (2018) The concentration of non-structural carbohydrates, N, and P in *Quercus variabilis* does not decline toward its northermostern distribution range along a 1500 km transect in China. **Frontiers in Plant Science** 9: 1444. doi: 10.3389/fpls.2018.01444
- 159.** Zhang, L., Cai, X., Wu, J., Liu, M., Grob, S., Cheng, F., Liang J, Cai C., Liu Z., Liu B., Wang F., Li S., Liu F., Li X., Cheng L., Yang W., **Li M-H.**, Grossniklaus U., Zheng H., Wang, X. (2018) Improved *Brassica rapa* reference genome by single-molecule sequencing and chromosome conformation capture technologies. **Horticulture Research**, 5: 50. <https://doi.org/10.1038/s41438-018-0071-9>
- 158.** Luo WT, Zuo X, Ma W, Xu C, Li A, Yu Q, Knapp AK, Tognetti R, Dijkstra F.A, **Li MH**, Han G, Wang Z, Han X. (2018) Differential responses of canopy nutrients to experimental drought along a natural aridity gradient. **Ecology** 99(10): 2230-2239.
- 157.** He P, Fontana S, Sui X, Gessler A, Schaub M, Rigling A, Jiang Y, **Li MH.** (2018) Scale dependent responses of pine reproductive traits to experimental and natural precipitation gradients. **Environmental and Experimental Botany** 156: 62-73. <https://doi.org/10.1016/j.envexpbot.2018.08.028>
- 156.** Cong Y, Wang A, He HS, Yu FH, Tognetti R, Cherubini P, Wang X, **Li MH.** (2018) Evergreen *Quercus aquifolioides* remobilizes more soluble carbon components but less N and P from leaves to shoots than deciduous *Betula ermanii* at the end-season. **iForest** 11: 517-525. doi: 10.3832/ifor2633-011
- 155.** Wang CG, Chen Z, Brunner I, Zhang Z, Zhu X, Li J, Yin H, Guo W, Zhao T, Zheng X, Wang S, Geng Z, Shen S, Jin D, **Li MH.** (2018) Global patterns of dead fine root stocks in forest ecosystems. **Journal of Biogeography** 45: 1378-1394. DOI: 10.1111/jbi.13206
- 154.** Wang CG, Chen Z, Yin H, Guo W, Cao Y, Wang G, Sun B, Yan X, Li J, Zhao TH, Brunner I, Dai G, Zheng Y, Zheng Y, Zu W, **Li MH.** (2018) The responses of forest fine root biomass/necromass ratio to environmental factors depend on mycorrhizal type and latitudinal region. **Journal of geographical research – Biogeosciences** 123: 1769-1788. <https://doi.org/10.1029/2017JG004308>

- 153.** Schönbeck L, Gessler A, Hoch G, McDowell NG, Rigling A, Schaub M, **Li MH.** (2018) Homeostatic maintenance of non-structural carbohydrates after 13 years irrigation in a drought-stressed mature *Pinus sylvestris* forest. **New Phytologist** 219: 1314-1324.
Doi: 10.1111/nph.15224
- 152.** Wang RZ, Wang X, Jiang Y, Cerdà A, Yin J, Liu H, Feng X, Shi Z, Dijkstra FA, **Li MH.** (2018) Soil properties determine the elevational patterns of base cations and micronutrients in plant-soil system up to the upper limits of trees and shrubs. **Biogeoscience** 15, 1763–1774. Doi: 10.5194/bg-2017-298
- 151.** Xu ZW, **Li MH**, Zimmermann NK, Li S, Li H, Ren H, Sun H, Han X, Jiang Y, Jiang L. (2018) Plant functional diversity modulates global environmental change effects on grassland productivity. **Journal of Ecology** 106: 1941-1951. DOI: 10.1111/1365-2745.12951
- 150.** **Li MH**, Jiang Y, Wang A, Li X, Zhu W, Yan CF, Du Z, Shi Z, Lei J, Schönbeck L, He P, Yu FH, Wang X. (2018) Active summer carbon storage for winter persistence in trees at the cold alpine treeline. **Tree Physiology** 38: 1345-1355. doi:10.1093/treephys/tpy020
- 149.** Pang XY, Yuan XJ, Wang A, **Li MH**, Liu XL, Pan HL, Yu FH, Lei JP (2018) Effects of simulated warming and functional group removal on survival and growth of *Abies faxoniana* seedlings. **Chinese Journal of Applied Ecology** 29(3): 687-695 (庞晓瑜, 袁秀锦, 王奥, 李迈和, 刘兴良, 潘红丽, 于飞海, 雷静品 (2018) 模拟增温和功能群去除对岷江冷杉幼苗存活和生长的影响. **应用生态学报** 29(3):687-695) (in Chinese with an English Abstract)
- 148.** Wang A., Wang X, Tognetti R, Lei JP, Pan HL, Liu XL, Jiang Y, Wang XY, He P, Yu FH, **Li MH.** (2018) Elevation alters carbon and nutrient concentrations and stoichiometry in *Quercus aquifolioides* in southwestern China. **Science of the Total Environment** 622-623: 1463-1475.
- 147.** Lei L, Xiao W, Zeng L, Zhu J, Huang Z, Cheng R, Gao S, **Li M-H** (2018) Thinning but not understory removal increased heterotrophic respiration and total soil respiration in *Pinus massoniana* stands. **Science of the Total Environment** 621: 1360-1369.
<https://doi.org/10.1016/j.scitotenv.2017.10.092>

- 146.** Du H, Liu J, **Li M-H**, Büntgen U, Yang Y, Wu Z, He HS, Wang L (2018) Warming-induced upward migration of the alpine treeline in the Changbai Mountains, northeast China. **Global Change Biology** 24:1256–1266. DOI: 10.1111/gcb.13963

2017

- 145.** Yang L, Liu X, Liu S, Pan H, Feng Q, **Li MH**. (2017) Life-form characteristic of plants in *Quercus aquifolioides* community along an elevational gradient on Balang Mountain, Wolong Nature Reserve. **Acta Ecologica Sinica** 37(21): 7170-7180 (杨朗生, 刘兴良, 刘世荣, 潘红丽, 冯秋红, 李迈和 (2017) 卧龙巴郎山川滇高山栎群落植物生活型海拔梯度特征. 生态学报 37(21): 7170-7180) (in Chinese with an English Abstract).
- 144.** Zhu W, Ran F, **Li MH**, Wang W, Jia M (2017) Alpine timberline dynamics and physiological mechanisms of the timberline formation on the Mt. Gongga. **Mountain Research** 35(5): 622-628 (朱万泽, 冉飞, 李迈和, 王文志, 贾敏 (2017) 贡嘎山高山林线动态与生理形成机制. 山地学报 35(5): 622-628) (in Chinese with an English Abstract).
- 143.** Sui X, Zhang R, Xu N, Liu Y, Ni H, Lei J, **Li MH** (2017) Diversity of soil acidobacterial community of different land use types in the Sanjiang Plain, Northeast of China. **International Journal of Agriculture and Biology** 19: 1279-1285.
- 142.** Wang C, Geng Z, Chen Z, Li J, Guo W, Zhao TH, Cao Y, Shen S, Jin D, **Li MH** (2017) Six-year nitrogen-water interaction shifts the frequency distribution and size inequality of the first-order roots of *Fraxinus mandschurica* in a mixed mature *Pinus koraiensis* forest. **Frontiers in Plant Science** 8: article 1691. Doi: 10.3389/fpls.2017.01691
- 141.** Sui X, Zhang R, Xu N, Liu Y, Zhong H, Wang J, Lei J, **Li MH**. Zhang X, Ni H (2017) Response of soil fungal diversity to nitrogen deposition in a *Deyeuxia augustifolia* wetland of Sanjiang Plain, Northeast, China. **International Journal of Agriculture and Biology** 19: 841-848
- 140.** Luo W, **Li MH**, Sardans J, Lü XT, Wang C, Penuelas J, Wang Z, Han XG, Jiang Y (2017) Carbon and nitrogen allocation shifts in plants and soils along aridity and fertility gradients in grasslands of China. **Ecology and Evolution** 7: 6927-6934
- 139.** Wang X, Xu Z, Lü X, Wang R, Cai J, Yang S, **Li MH**. Jiang Y (2017) Responses of litter decomposition and nutrient release rate to water and nitrogen addition differed

- among three plant species dominated in a semi-arid grassland. **Plant and Soil** 418: 241-253.
- 138.** Ge X, Xiao W, Zeng L, Huang Z, Zhou B, Schaub M, **Li MH** (2017) Relationships between soil-litter interface enzyme activities and decomposition in *Pinus massoniana* plantations in China. **Journal of soils and sediments** 17: 996-1008.
- 136.** Wang X, Yu D, Wang S, Lewis BJ, Zhou W, Zhou L, Dai L, Lei JP, **Li MH**. (2017) Tree Height-diameter Relationships in the Alpine Treeline Ecotone Compared with Those in Closed Forests on Changbai Mountain, Northeastern China. **Forests** 8, 132 (1-13); doi:10.3390/f8040132
- 135.** Wang P, Li H, Pang XY, Wang A, Dong BC, Lei JP, Yu FH, **Li MH** (2017) Clonal integration increases tolerance of a phalanx clonal plant to defoliation. **Science of the Total Environment** 593-594: 236-241.
- 134.** Wang X, Xu ZW, Yan CF, Luo WT, Wang RZ, Han XG, Jiang Y, **Li MH**. (2017) Responses and sensitivity of N, P and mobile carbohydrates of dominant species to increased water, N and P availability in semi-arid grasslands in northern China. **Journal of Plant Ecology** 10, 486-496. DOI doi:10.1093/jpe/rtw053
- 133.** Xu Z., Ren H., **Li M.H.**, Brunner I., Yin J., Liu H., Kong D., Lü X.T., Sun T., Cai J., Wang R., Zhang Y., He P., Han X., Wan S., Jiang Y. (2017) Experimentally increased water and nitrogen affect root production and vertical allocation of an old-field grassland. **Plant and Soil** 412, 369-380.
- 132.** Liu J.-F., Arend M., Yang W.-J., Schaub M, Ni Y-Y, Gessler A, Jiang Z-P, Rigling A, **Li MH** (2017) Effects of drought on leaf carbon source and growth of European beech are modulated by soil type. **Scientific Reports** 7, 42462; doi: 10.1038/srep42462.
- 131.** Li R., Yang Q., Zhang W., Zheng W., Chi Y., Xu M., Fang Y., Gessler A., **Li M.H.**, Wang S. (2017) Thinning effect on photosynthesis depends on needle ages in a Chinese fir (*Cunninghamia lanceolata*) plantation. **Science of the Total Environment** 580: 900-906.
- 130.** Wang J., Sui X., Zhang R., Xu N., Yang L., Liu Y., Fu X., Chai C., Xu M., Xing J., Zhong H., Ni H., **Li M.** (2017) Effects of different land use on soil bacterial functional diversity in Sanjiang Plain, Northeast China. **Journal of Residuals Science & Technology** 14: 91-98

- 129.** Sui X., Zhang R., Yang L., Li M., Xu N., Liu Y., Chai Ch., Zhong H., Wang J., Ni H., Xu M., Xing J., Wang J., **Li M.** (2017) Differences in the microbial population associated with three wetland types in the Sanjiang Plain, Northeast China. **Applied Ecology and Environmental Research** 15: 79-92

2016

- 128.** Hagedorn, F.; Joseph, J.; Peter, M.; Luster, J.; Pritsch, K.; Geppert, U.; Kerner, R.; Molinier, V.; Egli, S.; Schaub, M.; Liu, J.-F.; **Li, M.**; Sever, K.; Weiler, M.; Siegwolf, R.T.W.; Gessler, A.; Arend, M. (2016) Recovery of trees from drought depends on belowground sink control. **Nature Plants** 2: art. 16111, 5 p.
- 127.** Luo W, Sardans J, Dijkstra FA, Penuelas J, Lü XT, Wu H, **Li MH.** Bai E, Wang Z, Han X, Jiang Y (2016) Thresholds in decoupled soil-plant elements under changing climatic conditions. **Plant and soil** 409: 159-173. DOI 10.1007/s11104-016-2955-5
- 126.** Yan CF, Gessler A, Rigling A, Dobbertin M, Han XG, **Li MH.** (2016) Effects of mistletoe removal on growth, N and C reserves and carbon and oxygen isotope composition in Scots pine hosts. **Tree Physiology** 36, 562-575. doi:10.1093/treephys/tpw024
- 125.** Du Z, Cai XH, Bao W, Chen H, Pan H, Zhu W, Liu X, Jiang Y, **Li MH.** (2016) Short-term vs. long-term effects of understory removal on nitrogen and mobile carbohydrates in overstory trees. **Forests** 7, 67; doi:10.3390/f7030067
- 124.** Luo W, Dijkstra FA, Bai E, Feng J, Lv XT, Wang C, Wu H, **Li MH**, Han X, and Jiang Y. (2016) A threshold reveals decoupled relationship of sulfur with carbon and nitrogen in soils across arid and semi-arid grasslands in northern China. **Biogeochemistry** 127. 141-153. DOI 10.1007/s10533-015-0174-4
- 123.** Zhou YM, Hagedorn F, Zhou CL, Jiang XJ, Wang XX, **Li MH.** (2016) Experimental warming of a mountain tundra increases soil CO₂ effluxes and enhances CH₄ and N₂O uptake at Changbai Mountain, China. **Nature Scientific Reports** 6:21108: DOI: 10.1038/srep21108
- 122.** Wang CG, Han S, Zhou YM, Zhang J, Zheng X, Dai G, **Li MH.** (2016) Fine root growth and contribution to soil carbon in a mixed mature *Pinus koraiensis* forest. **Plant and Soil** 400: 275-284. DOI 10.1007/s11104-015-2724-x

- 121.** Niu FH, Li ZH, Malladi A, Zhang DL, **Li MH** (2016) Expression Dynamics of Two Pht1 Genes in *Eucalyptus dunnii* and *Corymbia citriodora* in Relation to Phosphate Supply. In: Masahide Takahashi (Ed.) **Proceedings of the 2015 International Conference on Medicine and Biopharmaceuticals.** PP. 1374-1385. World Scientific Publishing Co. Pte. Ltd. Singapore

2015

- 120.** Luo W, Nelson PN, **Li MH**, Cai J, Zhang Y, Zhang Y, Shan Y, Wang R, Han X, and Jiang Y. (2015) Contrasting pH buffering patterns in neutral-alkaline soils along a 3600 km transect in northern China. **Biogeosciences** **12**, 7047–7056. doi:10.5194/bg-12-7047-2015
- 119.** Xu Z., Ren H., **Li MH**, van Ruijven J., Han X., Wan S., Li H., Yu Q., Jiang Y., Jiang L. (2015) Environmental changes drive the temporal stability of semi-arid natural grasslands through altering species asynchrony. **Journal of Ecology** **103**. 1308-1316. doi: 10.1111/1365-2745.12441
- 118.** Xu Z., Ren H., Cai J., Wang R., He P., **Li MH**, Lewis BJ, Han X., Jiang Y. (2015) Antithetical effects of nitrogen and water availability on community similarity of semiarid grasslands: evidence from a nine-year manipulation experiment. **Plant and Soil** **397**: 357-369. DOI 10.1007/s111104-015-2634-y
- 117.** Luo W, Nelson PN, **Li MH**, Cai J, Zhang Y, Zhang Y, Shan Y, Wang R, Han X, and Jiang Y. (2015) Contrasting pH buffering patterns in neutral-alkaline soils along a 3600 km transect in northern China. **Biogeosciences Discuss.**, **12**, 13215–13240. doi:10.5194/bgd-12-13215-2015
- 116.** Luo W, Elser JJ, Lü XT, Wang Z, Bai E, Yan C, Wang C, **Li MH**, Zimmermann NE, Han X, Xu Z, Li H, Wu Y, Jiang Y. (2015) Plant nutrients do not covary with soil nutrients under changing climatic conditions. **Global Biogeochemical Cycles**, **29**, 1298–1308, doi:10.1002/2015GB005089
- 115.** Sui X, Feng FJ, Zhao D, Xing M, Sun XY, Han SJ, **Li MH**. (2015) Mating system patterns of natural populations of *Pinus koraiensis* along its post-glacial colonization route in northeastern China. **Genetics and Molecular Research** **14** (2): 4113-4124

- 114.** Li J, Yang B, Yan Q, Zhang J, Yan M, **Li MH**. (2015) Effects of a native parasitic plant on an exotic invader decrease with increasing host age. **AoB Plants** 7: plv031; doi:10.1093/aobpla/plv031

2014

- 113.** Xu ZW, Ren HR, Cai P, Wang RZ, **Li MH**, Han XG, Lewis BJ, Jiang Y (2014) Effects of experimentally-enhanced precipitation and nitrogen on resistance, recovery and resilience in a semi-arid grassland after drought. **Oecologia** 176:1187–1197
- 112.** Li JM, Jing ZX, Hagedorn F, **Li MH**. (2014) Short-term parasite-infection alters already the biomass, activity and functional diversity of soil microbial communities. **Nature Scientific Reports** 4: 6895. DOI: 10.1038/srep06895
- 111.** Xiao W, Ge X, Zeng L, Huang Z, Lei J, Zhou B, **Li MH**. (2014). Rates of Litter Decomposition and Soil Respiration in Relation to Soil Temperature and Water in Different-Aged *Pinus massoniana* Forests in the Three Gorges Reservoir Area, China. **PLoS ONE** 9(7): e101890. doi:10.1371/journal.pone.0101890
- 110.** Wang X, Luo W, Yu Q, Yan CF, Xu ZW, **Li MH**, Jiang Y (2014). Effects of nutrient addition on nitrogen, phosphorus and non-structural carbohydrates concentrations in leaves of dominant plant species in a semiarid steppe, **Chinese Journal of Ecology** 33(7):1795–1802
- 109.** Wang RZ, Filley TR, Xu ZW, Wang X, **Li MH**, Zhang YG, Luo WT, Jiang Y. 2014. Coupled response of soil carbon and nitrogen pools and enzyme activities to nitrogen and water addition in a semiarid grassland of Inner Mongolia. **Plant and Soil** 381: 323-336
- 108.** Zhu WZ, Wang SG, Yu DZ, Jiang Y, **Li MH**. (2014) Elevational patterns of endogenous hormones and their relation to resprouting ability of *Quercus aquifolioides* plants on the eastern edge of the Tibetan Plateau. **Trees** 28 (2): 359-372

2013

- 107.** Ge X, Xiao W, Zeng L, Huang Z, Lei J, **Li MH** (2013) The link between litterfall, substrate quality, decomposition rate, and soil nutrient supply in 30-year-old *Pinus massoniana* forests in the Three Gorges Reservoir area, China. **Soil Science** 178 (8): 442-451

- 106.** Liu X, He F, Fan H, Pan H, **Li MH**, Liu S (2013) Leaf-form characteristics of plants in *Quercus aquifolioides* community along an elevational gradient on the Balang Mountain in Wolong Nature Reserve, Sichuan, China. **Acta Ecologica Sinica** 33 (22): 7148-7156.
- 105.** Zhou YM, Jiang X, Schaub M, Wang X, Han J, Han SJ, **Li MH** (2013) Ten-year exposure to elevated CO₂ increases stomatal number of *Pinus koraiensis* and *P. sylvestriformis* needles. **European Journal of Forest Research** 132: 899-908.
- 104.** Wei Y, **Li M**, Chen H, Lewis BJ, Yu D, Zhou L, Zhou W, Fang X, Zhao W, Dai L. (2013) Variation in Carbon Storage and Its Distribution by Stand Age and Forest Type in Boreal and Temperate Forests in Northeastern China. **PLoS ONE** 8(8): e72201.
doi:10.1371/journal.pone.0072201
- 103.** Luo W, Jiang Y, Lue X, Wang X, **Li M-H**, Bai E, Han X, Xu Z. (2013) Patterns of Plant Biomass Allocation in Temperate Grasslands across a 2500-km Transect in Northern China. **PLoS ONE** 8(8): e71749. doi:10.1371/journal.pone.0071749
- 102.** Lei J-P, Xiao W, Liu J-F, Xiong D, Wang P, Pan L, Jiang Y, **Li MH**. (2013) Responses of Nutrients and Mobile Carbohydrates in *Quercus variabilis* Seedlings to Environmental Variations Using *In Situ* and *Ex Situ* Experiments. **PLoS ONE** 8(4): e61192.
doi:10.1371/journal.pone.0061192
- 101.** Yan C, Han S, Zhou Y, Zheng X, Yu D, Zheng J, Dai G, **Li MH*** (2013) Needle δ¹³C and mobile carbohydrates in *Pinus koraiensis* in relation to decreased temperature and increased moisture along an elevational gradient in NE China. **Trees** 27: 389-399. DOI 10.1007/s00468-012-0784-6
- 100.** Guo R, Zheng J, Han S, Zhang J, **Li MH** (2013) Carbon and nitrogen turnover in response to warming and nitrogen addition during early stages of forest litter decomposition—an incubation experiment. **Journal of Soils and Sediments** 13: 312-324. DOI 10.1007/s11368-012-0630-x
- 99.** **Li MH**, Cherubini P, Dobbertin M, Arend M, Xiao WF, Rigling A (2013) Responses of leaf nitrogen and mobile carbohydrates in different *Quercus* species/provenances to moderate climate changes. **Plant Biology** 15, 177-184. DOI: 10.1111/j.1438-8677.2012.00579.x
- 98.** Xu G, Fu S, Schleppi P, **Li MH** (2013) Responses of soil Collembola to long-term atmospheric CO₂ enrichment in a mature temperate forest. **Environmental Pollution** 173, 23-28.

2012

- 97.** Xu G-L, Kuster TM, Günthardt-Goerg MS, Dobbertin M, **Li M-H** (2012) Seasonal Exposure to Drought and Air Warming Affects Soil Collembola and Mites. **PLoS ONE** 7(8): e43102. doi:10.1371/journal.pone.0043102
- 96.** Wang P, Lei JP, **Li MH**, Yu FH (2012) Spatial heterogeneity in light supply affects intraspecific competition of a stoloniferous clonal plant. **PLoS ONE** 7 (6), e39105. doi: 10.1371/journal.pone.0039105
- 95.** Xu Z, Wan S, Ren H, Han X, **Li MH**, Cheng W, Jiang Y (2012) Effects of Water and Nitrogen Addition on Species Turnover in Temperate Grasslands in Northern China. **PLoS ONE** 7(6): e39762. doi:10.1371/journal.pone.0039762
- 94.** Zhu WZ, Xiang JS, Wang SG, **Li MH** (2012) Resprouting ability and mobile carbohydrate reserves in an oak shrubland decline with increasing elevation on the eastern edge of the Qinghai-Tibet Plateau. **Forest Ecology and Management** 278, 118-126.
<http://dx.doi.org/10.1016/j.foreco.2012.04.032>
- 93.** Zhu WZ, Cao M, Wang SG, Xiao WF, **Li MH** (2012) Seasonal dynamics of mobile carbon supply in *Quercus aquifolioides* at the upper elevational limit. **PLoS ONE** 7(3): e34213. doi: 10.1371/journal.pone.0034213
- 92.** Zhou YM, Schaub M, Shi L, Guo Z, Fan A, Yan C, Wang X, Wang C, Han SJ, **Li MH** (2012) Non-linear response of stomata in *Pinus koraiensis* to tree age and elevation. **Trees** 26: 1389-1396. DOI 10.1007/s00468-012-0713-8
- 91.** Wang CG, Han S, Zhou Y, Yan C, Cheng X, Zheng X, **Li MH** (2012) Responses of fine roots and soil N availability to short-term nitrogen fertilization in a broad-leaved Korean pine mixed forest in northeastern China. **PLoS ONE** 7(3): e31042. doi: 10.1371/journal.pone.0031042
- 90.** Yan CF, Han SJ, Zhou YM, Wang CG, Dai GH, Xiao WF, **Li MH** (2012) Needle-age related variability in nitrogen, mobile carbohydrates, and ^{13}C within *Pinus koraiensis* tree crowns. **PLoS ONE** 7(4): e35076. doi: 10.1371/journal.pone.0035076

- 89.** Li MH, Du Z., Pan HL, Yan CF, Xiao WF, Lei JP (2012) Effects of neighboring woody plants on target trees with emphasis on effects of understorey shrubs on overstorey physiology in forest communities: a mini-review. **Community Ecology** 13: 117-128.

2011

- 88.** Yan CF, Han SJ, Li MH (2011) Stable carbon isotope content in needles correlates strongly positive with those in the same aged tree-rings. *In: The 2nd International Asian Dendrochronological Conference – Abstracts.* Xi'an China, Aug. 20 – 23, 2011 (Abstract).
- 87.** Shi Z, Bai DZ, Lei JP, Li MH, Xiao WF (2011) Advance on Physioecological Adaptation of Alpine Plants to Mountainous Environment. **Acta Botanica Boreali – Occidentalia Sinica** 31(8), 1711 – 1718
- 86.** Pan HL, Tian Y, Wang SG, Du Z., Liu XL, Li MH (2011) Responses of the Non -structural Carbohydrates in *Fargesia nitida* to Elevation in Wolong Nature Reserve. *In: S. Lin and X. Huang (Eds.): CSEE 2011, Part II, CCIS 215*, pp. 380–385. Springer-Verlag Berlin Heidelberg 2011
- 85.** Pan H, Tian Y, Liu X, Cai X, He F, Li MH (2011) Responses of physiological and ecological traits of *Fargesia angustissima* to altitudinal changes in Wolong Nature Reserve, southwestern China. **Journal of Sichuan Forestry Science and Technology** 32(1), 25-30.
- 84.** Zhou YM, Wang CG, Han SJ*, Cheng XB, Li MH, Fan AN, Wang XX (2011) Species specific and needle-age related responses of photosynthesis in two *Pinus* species to long-term exposure to elevated CO₂ concentration. **Trees** 25, 163-173. DOI 10.1007/s00468-010-0495-9

2010

- 83.** Zhou YM, Li MH, Cheng XB, Wang CG, Fan AN, Shi LX, Wang XX, Han SJ (2010) Soil respiration in relation to photosynthesis of *Quercus Mongolica* trees at elevated CO₂. **PLoS ONE** 5(12), e15134, 1-8. doi:10.1371/journal.pone.0015134

- 82.** Pan H, Tian Y, Liu X, Cai X, He F, **Li MH** (2010) Ecological responses of *Fargesia nitida* to altitude in the Wolong Nature Reserve. **Ecology and Environmental Sciences** 19(12), 2832-2839.
- 81.** Zhu WZ, Cai XH, Liu XL, Wang JX, Cheng S, Zhang XY, Li DY, **Li MH*** (2010) Soil Microbial Population Dynamics along a Chronosequence of Moist Evergreen Broad-leaved Forest Succession in Southwestern China. **Journal of Mountain Science** 7, 327-338.
- 80.** Pan HL, Liu XL, **Li MH** (2010) Non-linear responses of morphology and growth of *Fargesia nitida* to altitude in Wolong Nature Reserve, Sichuan, southwestern China. In: **Proceedings of Symposium from Cross-strait Environment & Resources and 2nd Representative Conference of Chinese Environmental Resources & Ecological Conservation Society** (Eds. Zhang H. & Yu X.). Aussino Academic Publishing House. Riverwood, Australia. pp. 197-205.
- 79.** Feng FJ, Sui X, Chen MM, Zhao D, Han SJ, **Li MH** (2010) Mode of pollen spread in clonal seed orchard of *Pinus koraiensis*. **Journal of Biophysical Chemistry** 1 (1), 33-39.
- 78.** Tang J, Cao M, Zhang J, **Li MH** (2010) Litterfall production, decomposition and nutrient use efficiency varies with tropical forest types in Xishuangbanna, SW China: a 10-year study. **Plant and Soil** 335, 271-288. DOI 10.1007/s11104-010-0414-2
- 77.** Zheng JQ, Han SJ, Wang Y, Zhang CG, **Li MH** (2010) Composition and function of microbial communities during the early decomposition stages of foliar litter exposed to elevated CO₂ concentrations. **European Journal of Soil Science** 61, 914-925. DOI: 10.111/j.1365-2389.2010.01280.x
- 76.** Pan HL, **Li MH**, Tian Y, Cai XH, He F, Jia C, Fan H, Liu XL (2010) Responses of the morphological peculiarities and aboveground biomass of *Fargesia angustissima* to the altitudinal gradients in Wolong Nature Reserve. **Journal of Sichuan Forestry and Technology** 31 (6), 30-36.
- 75.** Chen MM, Feng F, Sui X, **Li MH**, Zhao D, Han S. (2010) Construction of a framework map for *Pinus koraiensis* Sieb. et Zucc. using SRAP, SSR and ISSR markers. **Trees** 24, 685-693.

- 74.** Guo X, Yan D, Fan JR, Zhu WZ, **Li MH.** (2010) Using GIS and Fuzzy sets to evaluate the Olive tree's ecological suitability in Sichuan province. **Computing in Science and Engineering** **12**, 20-27.
- 73.** Wu J, Pan HL, Du Z, Wang S, Shi P, Liu XL, Xiao WF, **Li MH.** (2010) Responses of tissue non-structural carbohydrates and leaf nitrogen contents to altitude in two dwarf bamboos in Wolong. **Acta Ecologica Sinica** **30**, 610-618.

2009

- 72.** Fang K, Gou X, Chen F, Peng J, D'Arrigo R, Wright W, **Li MH.** (2009) Response of regional tree-line forests to climate change: evidence from the northeastern Tibetan Plateau. **Trees** **23**, 1321-1329.
- 71.** Dobbertin, M.; **Li, M.-H.**; Giuggiola, A.; Baltensweiler, W.; Cherubini, P., (2009) Seasonal needle growth of European larch in the alpine Swiss Engadine Valley reveals strong advancement as the result of spring warming. [Abstract] In: Kaenel Dobbertin, M. (ed) **Long-term ecosystem research: understanding the present to shape the future.** International Conference Zürich, Switzerland, September 7-10, 2009. Abstracts. Birmensdorf, Swiss Federal Research Institute WSL. 61
- 70.** Wang XD, Cheng G, Zhong X, **Li MH** (2009) Trace elements in subalpine forest soils on the eastern edge of the Tibetan Plateau, China. **Environmental Geology** **58**, 635-643.
- 69.** Pan HL, Liu XL, Cai XH, Du Z, He F, Wang L, Jia C, **Li MH** (2009) Growth and morphological responses of *Fargesia angustissima* to altitude in the Wolong Nature Reserve, southwestern China. **Acta Ecologica Sinica (English Edition)** **29**, 144-149.
- 68.** Pan HL, **Li MH**, Cai XH, Wu J, Du Z, Liu XL (2009) Responses of growth and ecophysiology of plants to altitude. **Ecology and Environmental Sciences** **18**(2), 722-730.
- 67.** Xu GL, Schleppi P, **Li MH**, Fu SL (2009) Negative responses of Collembola in a forest soil (Alptal, Switzerland) under experimentally increased N deposition. **Environmental Pollution** **157**, 2030-2036.
- 66.** Zhang, J., Cheng, G., Yu, F., Krauchi, N., & **Li, MH.** (2009) Interspecific variations in responses of *Festuca rubra* L. and *Trifolium pratense* L. to a severe clipping under environmental changes. **Biologia** **64**, 292-298.
- 65.** Lü XT, Tang JW*, Feng ZL, **Li MH** (in press, 2009) Diversity and aboveground biomass of lianas

in the tropical seasonal rain forests of Xishuangbanna, SW China *International Journal of Tropical Biology and Conservation / Revista de Biología Tropical* 57, 211-222.

64. Qiu PF, Wu N, Luo P, Wang ZY, **Li MH** (2009) Analysis of dynamics and driving factors of wetland landscape in Zoige, eastern Qinghai-Tibetan Plateau. **Journal of Mountain Science** 6, 42-55. Doi 10.1007/s11629-009-0230-4

2008

63. Zhang J, Cheng G, Yu F, Kräuchi N, **Li MH*** (2008) Intensity and Importance of Competition for a Grass (*Festuca rubra*) and a Legume (*Trifolium pratense*) Vary with Environmental Changes. **Journal of Integrative Plant Biology** 50, 1570-1579.
62. **Li MH**, Xiao W-F, Shi P-L, Wang S-G, Zhong Y-D, Liu X-L, Wang X-D, Cai X-H, Shi Z-M (2008). Nitrogen and carbon source-sink relationships in trees at the Himalayan treelines compared with lower elevations. **Plant, Cell and Environment** 31, 1377-1387.
61. **Li MH**, Xiao W, Wang S, Cheng G, Cherubini P, Cai X, Liu X, Wang X, Zhu W (2008) Mobile carbohydrates in Himalayan treeline trees I. Evidence for carbon gain limitation but not for growth limitation. **Tree Physiology** 28: 1287-1296.
60. Li P, Sun Y, Wang S, Wang X, Cai X, Zhu W, Cherubini P, **Li MH** (2008) Altitudinal changes in leaf mass per unit area and tissue non-structural carbohydrates content of *Abies fabri* on Gongga Mountain of Southwest China. **Chinese Journal of Applied Ecology** 19, 1: 8-12.
59. Wang XD, Zhong XH, Liu SZ, Liu JG, Wang ZY, **Li MH** (2008) Regional assessment of environmental vulnerability in the Tibetan Plateau: Development and application of a new method. **Journal of Arid Environments** 72: 1929-1939.
58. Wang X, Zhong X, Liu S, **Li MH** (2008) A non-linear technique based on fractal method for describing gully-head changes associated with land-use in an arid environment in China. **Catena** 72: 106-112.

2007

57. **Li MH (2007)** Combining physioecological and dendrochronological research for interpreting alpine treeline formation. In: The First Asia Dendrochronology Conference and Workshop; Environmental Change and Human Activity. River Side, Bangkok, Thailand.

9-15 September, 2007. 39.

56. Li MH, Kräuchi N, Thimonier A, Waldner P, Schaub M, Graf Pannatier E, Schmitt M, Walther L (2007) Switzerland: are critical values for atmospheric deposition and ozone in forests exceeded? In: International Conference on Long-Term Ecological Research. Meeting the Challenges of Sustainable Ecosystem management from Local to Global Scales. Abstracts. August 20-21, 2007, Beijing. Chineses Ecosystem Research Network. 166-168.
55. Dobbertin M*, Giuggiola A, Li MH, Cherubini P (2007) Klimawandel und die Lärchen im Engadin. Bündnerwald 60 (3): 17-21.

2006

54. Song YG, Liu B, Wang LF, Li MH, Liu Y (2006) Damage to the oxygen-evolving complex by superoxide anion, hydrogen peroxide, and hydroxyl radical in photoinhibition of photosystem II. **Photosynthesis Research** 90: 67-78.
53. Cai X, Li MH, Cherubini P, Pu C (2006) Radial growth responses of *Cryptomeria japonica* to the climate. **Journal of Sichuan Forestry Science and Technology** 27(3): 1-4.
52. Li MH, Kräuchi N, Dobbertin M (2006) Biomass distribution of different-aged needles in young and old *Pinus cembra* trees at highland and lowland sites. **Trees** 20: 611-618.
51. Li MH, Kräuchi N, Gao XP (2006). Global warming: can existing reserves really preserve current levels of biological diversity? **Journal of Integrative Plant Biology** 48(3): 255-259.
50. Wang X, Li MH, Liu S, Liu G (2006) Fractal characteristics of soils under different land-use patterns in the arid and semiarid regions of the Tibetan Plateau, China. **Geoderma** 134: 56-61.

2005

49. Li MH, Kräuchi N (2005) The state of knowledge on alpine treeline and suggestions for future research. **Journal of Sichuan Forestry Science and Technology** 26(4): 36-42 (invited REVIEW).

- 48.** Zhu WZ, Li MH, Zhang JY, Fan JH, Fan JR (2005) Floristic Characteristics of the Rare and Endangered Plants and the Conservation Countermeasures in Tibet. **Wuhan University Journal of Natural Science** 10 (4): 674-681
- 47.** Li MH, Schaub M, Cherubini P, Kräuchi N (2005) Physiological and growth responses of *Abies alba* trees to defoliation. **International Forestry Review** 7(5): 94-95
- 46.** Li MH, Kräuchi N (2005) The state of knowledge on alpine treeline: an overview. In: 2005 Congress of Chinese Geographer of the World (Abstract, August 15-17, Peking): 83-84.
- 45.** Li MH, Schaub M, Cherubini P, Kräuchi N (2005) Physiological and growth responses of *Abies alba* trees to defoliation. The Ecological Society of America. Online available: <http://abstracts.co.allenpress.com/pweb/esa2005/document/?ID=47612>

2004

- 44.** Li MH, Yang J (2004) Effects of elevation and microsite on growth of *Pinus cembra* in the subalpine zone of the Austrian Alps. **Annals of Forest Science** 61: 319-325.
- 43.** Zhong YD, Li MH, Kräuchi N (2004) Global warming facilitates plant migration and biological invasion. **Geographical Research** 23(3): 347-356.
- 42.** Li MH, Zhong YD, Kräuchi N (2004) Effects of global climate change on vegetation change. *In:* Chen BZ, Qin DH (eds), Proceedings of the symposium on climate change and ecological environment. China Meteorological Press, Beijing, China. pp. 411-418 (ISBN 7-5029-3724-2/0.0094)
- 41.** Li MH, Zhang JY, Kräuchi N (2004) Can existing reserves really preserve current levels of biological diversity? *In:* Proceedings of the 2004 symposium of CNC-IGBP (Beijing, 21 - 24 December, 2004). pp. 266-270.
- 40.** Li MH (2004). A combined index of native and non-native plant diversity to assess cross-scale environmental change. [Abstract] - *In:* Bridging Scales and Epistemologies. Linking Local Knowledge with Global Science in Multi-Scale Assessments. Conference Program. Alexandria, March 17-20, 2004. Alexandria, Bibliotheca Alexandrina. 74.
- 39.** Li MH, Kräuchi N (2004). Can existing reserves really preserve current levels of biological diversity? - An overview. - *In:* Sixth Annual BIOECON Conference "Economics and the Analysis of Biology and Biodiversity". Kings College Cambridge, 2-3 September 2004.

Online available: <http://www.bioecon.ucl.ac.uk/kings.htm> Cambridge, Kings College. 1-7.

- 38. Li MH**, Kräuchi N (2004) Using a combined index of native and non-native plant diversity for estimating ecosystem and environmental change over time and space. Bridging Scales and Epistemologies Conference, Millennium Ecosystem Assessment Alexandria, Egypt (CD-ROM): 1-20. Online available: www.millenniumassessment.org/documents/bridging/papers/li.maihe.pdf

2003

- 37. Li MH**, Yang J, Kräuchi N (2003) Growth responses of *Picea abies* and *Larix decidua* to elevation in subalpine areas of Tyrol, Austria. **Canadian Journal of Forest Research** 33(4): 653-662.
- 36. Li MH**, Kräuchi N (2003) A method for estimating vegetation change over time and space. **Journal of Geographical Sciences** 13(4): 447-454.
- 35. Li MH**, Kräuchi N (2003) Using native and non-native plant diversity combination to estimate vegetation/environmental change across scales. Verhandlungen der Gesellschaft für Oekologie 33. Verlag Die Werkstatt, Göttingen. pp. 240-& (ISBN 3-89533-439-1).
- 34. Li MH**, Kräuchi N (2003) Global climate change facilitates plant migration. In: Chinese People's Political Consultative Conference, China Meteorological Administration (ed), Climate change and environment. China Meteorological Press, Beijing, China. pp. 437-445.

2002

- 33. Li MH**, Hoch G, Körner C (2002) Source/sink removal affects mobile carbohydrates in *Pinus cembra* at the Swiss treeline. **Trees** 16: 331-337.
- 32. Li MH**, Kräuchi N, Yang J (2002) Hemeroby: a method to assess the naturalness of vegetation. **Progress in Geography** 21(5): 450-458.
- 31. Li MH**, Kräuchi N (2002) Oeko-Index: eine Methode zur Abschaetzung der Natuerlichkeit von Waldoekosystemen. Verhandlungen der Gesellschaft für Oekologie 32. Verlag Die Werkstatt, Göttingen. pp. 74-&. (ISBN 3-89533-379-4).

- 30.** Yang J, Li MH, Kräuchi N Hu YM, Gao JR (2002) Hemeroby, PNV and vegetation/ecosystem restoration. *In:* The Chinese Society of Geography (ed), Vegetation Change and its Effects on the Environment. Planet and Map Pressing House, Beijing, China. pp: 318-324. (ISBN 7-80104-739-7/k.502).
- 29.** Li MH, Kräuchi N (2002) Quantity and quality of the present vegetation: vegetation change study based on biodiversity assessment. *In:* The Chinese Society of Geography (ed), Vegetation Change and its Effects on the Environment. Planet and Map Pressing House, Beijing, China. pp: 27-35. (ISBN 7-80104-739-7/k.502).
- 28.** Li MH, Hoch G, Körner C (2002) Distribution of NSC (non-structural carbohydrate) within *Pinus cembra* trees at the Swiss treeline (Abstract). *In:* Proceedings of 2002 symposium of China Association for Science and Technology. Chengdu, China.
- 27.** Li MH, Cherubini P (2002) Der Kronenverlichtung auf der Spur. Wald – Informationsblatt Forschungsbereich 11.

2001

- 26.** Li MH, Hoch G, Körner C (2001) Spatial variability of mobile carbohydrates within *Pinus cembra* trees at the alpine treeline. **Phyton** 41(2): 203-213.
- 25.** Gao JR, Xiao B, Zhang D, Li MH (2001) A review of the progress in forest hydrology research in the world. **Journal of Soil and Water Conservation** 15(5): 60-65.
- 24.** Li MH, Uehre P, Matschke J (2001) Dickenzuwachs und Stammform in Abhängigkeit von Entastungsintensitäten der Bäume. **Schweizerische Zeitschrift für Forstwesen**, 152 (9): 389-393.
- 23.** Li MH, Brang P, Dobbertin M, Thimonier A, Kräuchi N (2001) Understory plant diversity responds to crown defoliation. Verhandlungen der Gesellschaft für Ökologie 31. Parey Buchverlag im Blackwell Wissenschafts-Verlag, Berlin. 110-8. (ISBN 3-8263-3412-4).

Before 2001 (before my WSL-career)

- 22. Li MH**, Uehre P, Körner Ch., Matschke J. (2000) Einfluss der Gruenaestung auf das kurzfristige Dickenwachstum und die Wachstumsdynamik. AFZ-DerWald 25: 1348-1350.
- 21. Li MH** (2000) Grundlagen zur Hochlagenaufforstung im Einzugsgebiet des Yangtse als Beitrag zur Hochwasservorbeugung unter Mitberuecksichtigung von Forschungsergebnissen in den Alpen. PhD thesis, Vienna University of Agricultural Sciences, Austria, 1-286.
- 20. Li MH** (2000) **Wald, Wild und Naturschutz in China**. Forstliche Bundesversuchsanstalt Wien, Vienna, Austria. 1-146.
- 19. Li MH**, Gao, J.R., Yao, D.H. (2000) Vegetation dynamics after forest clearing in the mountain and subalpine zone of SW China. Global Mountain Biodiversity Assessment (Abstract), First international conference on Mountain Biodiversity. Rigi-Kaltbad, Switzerland. p. 8.
- 18. Li MH**, Gao, J.R., Yao, D.H. (2000) Relationship between altitude and growth of Cembran pine (*Pinus cembra*) in subalpine area in Schmirntal/Tyrol, Austria. International Conference on Forest Ecosystem: Ecology, Conservation and Sustainable Management (Abstracts). Chengdu, Sichuan, China. P. 50.
- 17. Li MH**, Uehre P (1998) Einfluss der Gruenaestung auf das kurzfristige Dickenwachstum. In: Gou X et al. (eds.): Proceedings of Symposium on Natural Sciences, Vienna. pp: 122-128.
- 16. Li MH**, Yao D, Zhong Y, Uehre P (1998) Untersuchungen des Dickenzuwachses und der Stammform in Abhaengigkeit von unterschiedlichen Aestungsintensitaeten. In: Gou X et al. (eds.): Proceedings of Symposium on Natural Sciences, Vienna. pp: 129-135.
- 15. Li MH**, Yao D.H. (1998) Eco-development of villages – a combination of ecology and economy: Theory and Practice. In: Proceedings of symposium on resources development and protection of mountain areas. China Agricultural Press, Beijing, China. 129-135. (ISBN)
- 14. Li MH** (1998) Bodenverdunstung und Bodenfeuchtigkeit vor und nach dem Kahlschlag in den subalpinen Stufen in Südwestchina. In: Organisationskomitee UG'98 (ed.): Erdwissenschaftliche Aspekte des Umweltschutzes. 4. Arbeitstagung des Bereiches Umwelt. Österreichisches Forschungs- und Prüfzentrum Arsenal GmbH, Wien, pp: 199-204. (ISBN 3-9500844-0-1).

- 13. Li MH** (1998) Veränderung der Boden- und Lufttemperatur vor und nach dem Kahlschlag in den subalpinen Stufen. In: Organisationskomitee UG'98 (ed.): Erdwissenschaftliche Aspekte des Umweltschutzes. 4. Arbeitstagung des Bereiches Umwelt. Österreichisches Forschungsund Prüfzentrum Arsenal GmbH, Wien, pp: 205 –211. (ISBN 3-9500844-0-1).
- 12. Li MH** (1998) Informationsblatt für diesjaehrige Hochwasserkatastrophe im Einzugsgebiet des Yangtse-Flusses. Mitteilung (Jahresbericht 1998), Institut für Wildbach- und Lawinenschutz der Universitaet für Bodenkultur Wien, Heft 27 (CD-ROM).
- 11.** 陈卫军,何立新,李迈和 (**Mai-He Li**), 盘小波 (1997) 双牌县生姜姜瘟病的防治研究[J].湖南林业科技 24(2): 27-31
- 10. Li MH** (1993) **Utilization of Natural Resources in Forest Regions.** Centurnal South Forestry University, Zhuzhou, China. 1-194.
- 9. Li MH**, Zeng P. (1992) An investigation of the structure and model of Agro-forestry in Hunan province. Hunan Forestry Science & Technology 19(2): 47-51.
- 8. Li MH**, Zeng P. (1992) Forest ecosystems and Utilization of Natural Resources in Forest Regions. Information from Nature.
- 7. Li MH** (1991) „**Agro-forestry in garden**“ (Video cassette and text book as teaching material of college on the air), CCTV, Beijing, China.
- 6. Li MH**, Yao D.H. (1990) A preliminary study on the agro-forestry development in garden in China. Research of Agricultural Modernization 11(3): 33-36.
- 5. Yao D.H., Li MH** (1990) The present situation and the prospect of agroforestry in Garden of Hunan. Hunan Forestry Science & Technology 2: 34-36.
- 4. Li MH*** (1989) Three-dimensional forestry. Research of Agricultural Modernization 10(1): 33-36.
- 3. Li MH** (1988) Three-dimensional forestry (II). Ecological Economics 6: 27-29.
- 2. Li MH** (1988) Three-dimensional forestry (I). Bulletin of ecological-economical agriculture 2: 46-52.
- 1. Li MH** (1985) The effects of micro-sites on the growth of *Cunninghamia lanceolata* in hilly land of Hunan. BSc thesis of Central-South Forestry University, China. 1-45.